Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Blueberries

PLANTS and PROPAGATING MATERIAL

J. R. SPELMAN CO.

SOUTH HAVEN, MICHIGAN

U. S Depar mont of Agricu JAN 181946 DE POSSIBLE SED

PRICE LIST FALL :- 1945 Subject to change

	1 1	1		-10	Ī	1	1.	1	1	1	1	1		1					Ī
		.031/	.031/2	.021/2	.021/2	.021/2	.07	.03	.031/2	.011/2	.031/2	.02	.031/2	.07	.011/2	100	Cut at Bud. Ready for setting in	Cuttings, 31/2 in. long	
		.03	.03	.02	.02	.02		.03	.03	.01	.03	.02	.03		.01	300	Cut at Bud for setting i	s, 31/2	
		.03	.03	.02	.02	.02		.021/2	.03	.01	.03	.02	.03		.01	1000	d. in Peat.	in. long	
		.11	.11	.07	.07	.07	.22	.09	.11	.04	-11	.07	.11	.22	.04	100	Must 3 cu		
		.101/2	.10	.061/2	.061/2	.061/2		.08	.101/2	.031/2	.101/2	.061/2	.101/2		.031/2	300	Must average at least 3 cuttings per whip	Whips	
		.10		.06	.06	.06		-	.10	.03	.10	.06	.10		.03	1000	at least whip		
		.34		.30	.30	.30							.35			10	Must	R	
		.30		.25	.25	.25			.30							100	be well t least a	ooted	,
		.29		.24	.24	.24			.29							300	Must be well rooted. With at least 2 inches of New Growth	Rooted Cuttings	
		.28		.23	.23	.23			.28			,		74		1000	. With	ngs	
		.50		.40	.40				.50	.40	A Committee of the Comm		.50		.40	10	1		
				.37	.35				.47	.35			.45	-	.35	100	VO YE	No.	
				.35				,	.45				.40			300	TWO YEARS OLD	. 2	
				.35					.45				.40			1000	LD d		
We	Wa	Sta	Sca	Rubel	Ran	Pio	Pen	June	Jersey	Har	Con	Cabot	Bur	Atla	Adams				
Weymouth	Wareham	Stanley	Scammell	<u>e</u>	Rancocas	Pioneer	Pemberton	0	sey	Harding	Concord	10	Burlington	Atlantic	SI		VARIETY		
th					S		1011						ton		1				
7											1 -	1	1			3	,		
													1						
.75	.75	.80	.75	.60	.60		1.10	.70	.80	.55	.70	.60	.70	1.10	.80	10		Tw	
.75 .70		.80 .75	.75 .70	.60 .55	.60 .55		1.10 1.00	.70 .65	.80 .75	.55 .50	.70 .65	.60 .55	.70 .65	1.10 1.00	.80 ,55	100		Two Yea	
								-						1		100 300		Two Years Old	
				.55	.55		1.00	.65 .62	.75 .70 .65	.50 .45	.65 .60	.55 .50	.65 .60 .60	1	,55 .50	100 300 1000	Well rooted. Over 6 inches high. Must have 12 inches of new growth.	Two Years Old	
	.70			.55 ,50	.55 .50	1.00	1.00	.65	.75 .70	.50	.65	.55 .50 1.10	.65 .60 .60 1.10	1	,55 .50 1.10	100 300 1000 10	Well rooted. Over 6 inches high. Must have 12 inches of new growth.		
	.70	.75		.55 ,50 .50	.55 .50 .50	1.00	1.00	.65 .62	.75 .70 .65	.50 .45	.65 .60	.55 .50	.65 .60 .60	1.00	,55 .50	100 300 1000 10 100	Well rooted. Over 6 inches high. Must have 12 inches of new growth.		
	.70	.75		.55 ,50 .50	.55 .50 .50	1.00	1.00	.65 .62	.75 .70 .65 1.10	.50 .45 1.00	.65 .60 1.10	.55 .50 1.10	.65 .60 .60 1.10	1.00	,55 .50 1.10	100 300 1000 10 100 300	Well rooted. Over 6 inches high. Must have 12 inches of new growth.		187
	.70	.75		.55 ,50 .50	.55 .50 .50		1.00	.65 .62	.75 .70 .65 1.10 1.00	.50 .45 1.00 .90 .80 .75	.65 .60 1.10 1.00	.55 .50 1.10 1.00 .90	.65 .60 .60 1.10 1.00 .90 .85	1.00	,55 .50 1.10 1.00 .90 .85	100 300 1000 10 100	Well rooted. Over 6 inches high. Must have 12 inches inche of new growth.	Two Years Old Three Years Old	allumori 8-
	.70	.75		.55 ,50 .50	.55 .50 .50	1.00	1.00	.65 .62	.75 .70 .65 1.10 1.00	.50 .45 1.00 .90 .80	.65 .60 1.10 1.00	.55 .50 1.10 1.00	.65 .60 .60 1.10 1.00 .90	1.00	,55 .50 1.10 1.00 .90 .85 1.50	100 300 1000 10 100 300 1000 10	Well rooted. Over 6 inches high. Must have 12 inches inches high, with 30 inches of new growth,	Three Years Old	Singingui 8th
	.70	.75		.55 ,50 .50 1.00	.55 .50 .50 1.00		1.00	.65 .62	.75 .70 .65 1.10 1.00 .95	.50 .45 1.00 .90 .80 .75	.65 .60 1.10 1.00 .90	.55 .50 1.10 1.00 .90	.65 .60 .60 1.10 1.00 .90 .85	1.00	,55 .50 1.10 1.00 .90 .85	100 300 1000 10 100 300 1000 10 100	Well rooted. Over 6 inches high. Must have 12 inches inches high, with 30 inches of new growth,	Three Years Old	Singmores.
	.70	.75		.55 .50 .50 1.00 1.60	.55 .50 .50 1.00 1.60		1.00	.65 .62	.75 .70 .65 1.10 1.00 .95 1.60	.50 .45 1.00 .90 .80 .75 1.50	.65 .60 1.10 1.00 .90 1.60	.55 .50 1.10 1.00 .90 1.60	.65 .60 .60 1.10 1.00 .90 .85	1.00	,55 .50 1.10 1.00 .90 .85 1.50	100 300 1000 10 100 300 1000 10 100 300	Well rooted. Over 6 inches high. Must have 12 inches inches high, with 30 inches of new growth,	Three Years Old	Singmong
	.70	.75		.55 .50 .50 1.00 1.60	.55 .50 .50 1.00 1.60	1.60	1.00	.65 .62	.75 .70 .65 1.10 1.00 .95 1.60 1.50	.50 .45 1.00 .90 .80 .75 1.50	.65 .60 1.10 1.00 .90 1.60	.55 .50 1.10 1.00 .90 1.60	.65 .60 .60 1.10 1.00 .90 .85	1.00	,55 .50 1.10 1.00 .90 .85 1.50	100 300 1000 10 100 300 1000 10 100	Well rooted. Over 6 inches high. Must have 12 inches of new growth.		* Salignary St.
	.70	.75		.55 .50 .50 1.00 1.60	.55 .50 .50 1.00 1.60		1.00	.65 .62	.75 .70 .65 1.10 1.00 .95 1.60	.50 .45 1.00 .90 .80 .75 1.50	.65 .60 1.10 1.00 .90 1.60	.55 .50 1.10 1.00 .90 1.60	.65 .60 .60 1.10 1.00 .90 .85	1.00	,55 .50 1.10 1.00 .90 .85 1.50	100 300 1000 10 100 300 1000 10 100 300	Well rooted. Over 6 inches high. Must have 12 inches of new growth. Well rooted. Over 12 Well rooted. Well shaped. 18 to 24 inches high. Bearing Fruit.	Three Years Old Four Years Old	Sugmong
	.70	.75		.55 .50 .50 1.00 1.60 1.50	.55 .50 .50 1.00 1.60 1.50	1.60	1.00	.65 .62	.75 .70 .65 1.10 1.00 .95 1.60 1.50	.50 .45 1.00 .90 .80 .75 1.50	.65 .60 1.10 1.00 .90 1.60	.55 .50 1.10 1.00 .90 1.60	.65 .60 .60 1.10 1.00 .90 .85	1.00	,55 .50 1.10 1.00 .90 .85 1.50 1.40	100 300 1000 10 100 300 1000 10 100 300 1000	Well rooted. Over 6 inches high. Must have 12 inches of new growth. Well rooted. Over 12 Well rooted. Well shaped. 18 to 24 inches high. Bearing Fruit.	Three Years Old Four Years Old	Stainnight
	.70	.75		.55 .50 .50 1.00 1.60 1.50 2.00 1	.55 .50 .50 1.00 1.60 1.50 2.00 1	1.60 2.00	1.00	.65 .62	.75 .70 .65 1.10 1.00 .95 1.60 1.50 2.00	.50 .45 1.00 .90 .80 .75 1.50	.65 .60 1.10 1.00 .90 1.60	.55 .50 1.10 1.00 .90 1.60	.65 .60 .60 1.10 1.00 .90 .85	1.00	,55 .50 1.10 1.00 .90 .85 1.50 1.40 2.00	100 300 1000 10 100 300 1000 10 100 300 1000 10	Well rooted. Over 6 inches high. Must have 12 inches of new growth. Well rooted. Over 12 Well rooted. Well shaped. 18 to 24 inches high. Bearing Fruit.	Three Years Old Four Years Old	aluginori 3.
	.70	.75		.55 .50 .50 1.00 1.60 1.50 2.00 1	.55 .50 .50 1.00 1.60 1.50 2.00 1.90	1.60 2.00	1.00	.65 .62 1.10	.75 .70 .65 1.10 1.00 .95 1.60 1.50 2.00	.50 .45 1.00 .90 .80 .75 1.50	.65 .60 1.10 1.00 .90 1.60	.55 .50 1.10 1.00 .90 1.60	.65 .60 .60 1.10 1.00 .90 .85	1.00	,55 .50 1.10 1.00 .90 .85 1.50 1.40 2.00	100 300 1000 10 100 300 1000 10 100 300 1000 10 100	Well rooted. Over 6 inches high, with 30 inches high. Must have 12 inches inches high, with 30 inches high. Bearing Fruit.	Three Years Old Four Years Old	#Stronons

